

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

FIG 1






FIG 2



2/18



3/18

FIG 7




FIG 8




FIG 6








FIG 5



SCALE 2/5



5/18

FIG 12





FIG 13












FIG 22





FIG 23



7/18

FIG 24




FIG 25




FIG 26




FIG 27




FIG 28

8/18




FIG 29







FIG 30



9/18



10/18

FIG 33




FIG 34




FIG 35




FIG 36




FIG 37









FIG 38



12/18





14/18

FIG 44




FIG 45




FIG 46




FIG 47




FIG 48

15/18

New Utility Appln for Robert James Johnson et al
Entitled: EMERGENCY EYE WASH SYSTEM
James B. Raden; 312 269-4340
Attorney Docket No.: 702421635004





FIG 49



16/18

FIG 50





FIG 51



17/18

